

SUPPLEMENT TO



The Gazette of India

No. 38]

NEW DELHI, SATURDAY, OCTOBER 13, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956

	CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX			
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)										Assam—contd.										
Ajmer										(Estd. mid-year pop. 9,817 thousands).										
TOTAL	1	1	Total for w/e 8-9-56	
(Estd. mid-year pop. 752 thousands).									Total for w/e 1-9-56	17	3	
Total for w/e 8-9-56	7-yearly mean for the week	5	3	
Total for w/e 1-9-56												
7-yearly mean for the week	Bhopal											
Andhra										TOTAL										
Srikakulam	1	1	(Estd. mid-year pop. 867 thousands).	
Visakhapatnam	7	3	Total for w/e 8-9-56	2	
Godavari East	5	Total for w/e 1-9-56	4	3	
Godavari West	..	2	1	5	2	7-yearly mean for the week	
Krishna	13	5	17	3												
Guntur	35	5	Bihar											
Nellore	5	2	Patna	85	22	3	
Kurnool	14	7	Gaya	26	15	5	3	
Cuddapah	5	1	Shahabad	29	11	4	
Anantapur	13	Saran	9	
Chittoor	1	Bhagalpur	9	2	
TOTAL	..	15	6	98	24	Santal Parganas	32	14	
(Estd. mid-year pop. 21,238 thousands).									Total for w/e 8-9-56	190	64	12	3	
Total for w/e 8-9-56	21	8	96	22	Total for w/e 1-9-56	232	86	8	
Total for w/e 1-9-56	15	7	135	20	7-yearly mean for the week	247	105	21	6	
7-yearly mean for the week	268	127	55	9	(Estd. mid-year pop. 42,198 thousands.)	
Assam										Total for w/e 8-9-56										
Kamrup	1	Total for w/e 1-9-56	232	86	8	
Nowrang	31	7	7-yearly mean for the week	247	105	21	6	
TOTAL	..	31	7	1												

Explanation of Symbols used :- C.—Cases; D.—Deaths; ..—Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956—contd.

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE						
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
Bombay												Madhya Pradesh												Madras														
Satara South												"N. R."												"N. R."														
Ahmednagar												"N. R."												"N. R."														
East Khandesh												"N. R."												"N. R."														
West Khandesh												"N. R."												"N. R."														
Poona												"N. R."												"N. R."														
Sholapur												"N. R."												"N. R."														
Belgaum												"N. R."												"N. R."														
Bijapur												"N. R."												"N. R."														
Baroda												"N. R."												"N. R."														
Total												Total												Total														
(Estd. mid-year pop. 39,569 thousands.)												(Estd. mid-year pop. 39,569 thousands.)												(Estd. mid-year pop. 39,569 thousands.)														
Total for w/e 8-9-56												48												48														
Total for w/e 1-9-56												89												89														
7-yearly mean for the week												78												78														
Coorg												Total												Total														
Total												Total												Total														
(Estd. mid-year pop. 262 thousands.)												(Estd. mid-year pop. 38,273 thousands.)												(Estd. mid-year pop. 38,273 thousands.)														
Total for w/e 8-9-56																									
Total for w/e 1-9-56																									
7-yearly mean for the week																									
Delhi												Manipur												Orissa														
Total												Total												Total														
(Census pop. 1,744 thousands.)												(Estd. mid-year pop. 613 thousands.)												(Estd. mid-year pop. 613 thousands.)														
Total for w/e 8-9-56																									
Total for w/e 1-9-56																									
7-yearly mean for the week																									
Himachal Pradesh												Cuttack												Balasore														
Total												Total												Total														

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956—*contd.*

—	CHOLERA						SMALLPOX						PLAQUE													
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.										
Orissa—<i>contd.</i>						Uttar Pradesh—<i>contd.</i>																				
Dhenkanal	—	—	5	3	(Estd. mid-year pop. 66,780 thousands)																	
Bolangir Patna	—	—	—	—	8																		
TOTAL	—	199	95	16	2	Total for w/e 8-9-56						23	9	5	2						
(Estd. mid-year pop. 15,114 thousands.)						Total for w/e 1-9-56						Total for w/e 1-9-56						10	4					
Total for w/e 8-9-56	146	88	11	7-yearly mean for the week						101	59	10	1	4	3						
Total for w/e 1-9-56	239	143	8	Vindhya Pradesh						"N.R."											
7-yearly mean for the week	—	—	20	12	35	8																		
Punjab (I)						West Bengal																				
Ferozepur	—	—	—	—	3	Burdwan						—	4	1					
TOTAL	—	—	—	—	3	Bankura						—	5	2	4	2					
(Census pop. 12,641 thousands.)						Midnapur						Hooghly						—			
Total for w/e 8-9-56	2	Howrah						—	7	..	1	1					
Total for w/e 1-9-56	1	24-Parganas						—	8	4	13	4					
7-yearly mean for the week	—	—	—	—	2	1	Calcutta						—	9	4	8	7					
Pondicherry						Nadia						Murshidabad						—			
TOTAL	—	—	—	—	—	Malda						—	4	1					
(Estd. mid-year pop. 706 thousands.)						Cooch Behar						Total for w/e 8-9-56						—	2	..	1			
Total for w/e 8-9-56	Total for w/e 1-9-56						—					
Total for w/e 1-9-56	3	2	1	1	7-yearly mean for the week						—	57	24	14	7					
Uttar Pradesh						TOTAL						83	34	33	16				
Bareilly	—	—	7	3	(Estd. mid-year pop. 26,396 thousands.)																	
Kanpur	—	—	—	—	2	Total for w/e 8-9-56						96	52	38	18						
Gorakhpur	—	—	3	2	Total for w/e 1-9-56						137	75	37	16						
Kheri	—	—	1	1	—	—	7-yearly mean for the week											
Lucknow	—	—	7	4	Total for w/e 8-9-56						57	24	14	7						
TOTAL	—	17	9	3	1						

Explanation of symbols used : C=Cases ; D=Deaths ; ..=Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th September, 1956—*contd.*

Explanation of symbols used : C. = Cases ; D. = Deaths ; . = Nil. ; "N.R." = Information not received.
*Excluding Pondicherry.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15 September, 1956—concl.

	CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE										
	—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.					
Madhya Pradesh—contd.						Pondicherry											
<i>For w/e 8-2-56—contd.</i>						<i>For w/e 8-9-56</i>											
Akola	•	•	II	3	TOTAL	•	36	26	
Buldana	•	•	I	I	5	I									
Raigarh	•	•	I									
TOTAL	•	44	18	75	8	TOTAL	•	3	2	

Explanation of symbols used : C.—Cases ; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA);
The 8th October, 1956 }

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956

Deaths from :-

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
------	---------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

STATES—(Parts A and C)

Ajmer

Ajmer	223	61	14.2	10	1	1	..	20	4.7	2
Beawar	59	22	19.4	—	1	..	7	1	5	2	24	21.2	7
TOTAL	282	83	15.3	..	1	—	17	2	6	2	44	8.1	9

Andhra

Adoni	63	48	39.6	2	4	..	18	14.9	5
Anantpur													
Anakapalli †													
Bhimavaram	36	48	69.3	1	14	20.2	1
Chirala	43	31	37.5	7	1	15	18.1	1
Chittoor	45	35	40.4	2	7	8.1	2
Cuddapah †													
Eluru	99	47	24.7	..	1	..	10	1	34	17.9	6
Gudivada	36	15	21.7	6	13	15.8	2
Guntur	147	252	89.2	3	7	5	..	74	26.2	22
Guntakal	37	23	32.3	4	2	1	..	15	21.1	1
Kakinada	113	49	22.5	3	1	1	..	31	14.3	13
Kurnool	68	88	67.3	3	7	4	1	35	26.8	7
Masulipatnam	88	107	63.2	7	5	2	1	47	27.8	7
Nandyal	37	37	52.0	..	1	..	2	2	1	2	18	25.3	6
Nellore	95	106	58.0	4	6	2	..	41	22.4	9
Proddatur †													
Rajahmundry	123	70	29.8	10	1	1	..	37	15.8	5
Tenali	67	65	50.4	1	2	..	21	16.3	9
Vijaywada	201	150	38.9	12	8	2	1	46	11.9	19
Visakhapatnam	128	65	26.4	..	3	..	9	4	11	..	51	20.7	19
Vizianagaram	73	50	34.7	3	4	2	1	31	21.5	6
TOTAL	1,500	1,286	44.6	..	5	..	85	51	38	8	548	19.0	140

Assam

Shillong †													
Gauhati	51	14	14.3	5	1	12	12.2	2
Dibrugarh	46	8	9.0	2	2.2	..
Silchar	43	14	16.9	1	5	6.0	1
TOTAL	140	36	13.4	6	1	19	7.1	3

Bhopal

Bhopal	116	44	19.7	1	5	2.2	..
--------	-----	----	------	----	----	----	---	----	----	----	---	-----	----

Bihar

Arrah	70	6	4.5	3	1	2	..	7	5.2	..
Bihar	68	44	33.6	2	1	8	6.1	..
Bettiah †													
Bhagalpur	126	45	18.6	1	9	30	12.4	..
Chapra	69	46	34.7	2	10	7.5	..
Darbangha	93	22	12.3	2	10	5.6	..
Dhanbad	41	11	14.0	4	5.1	..
Dinapur	44	45	2	2	6	7.1	..
Gaya	149	96	33.5	19	3	5	1	50	17.5	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—contd.

Deaths from:—

Town	Mid year Popn. Est. (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar—contd.													
Hazaribagh	39	24	32.0	11	14.7	8
Jamalpur	47	13	14.4	2	2	2.2	..
Jamshedpur	246	139	29.4	10	..	2	..	27	5.7	5
Katihar	51	5	5.1	2	6	6.1	4
Monghyr	80	19	12.4	1	..	1	..	7	4.6	..
Muzaffarpur	84	35	21.7	5	28	17.3	..
Patna†	—	—	—	—	—	—	—	—	—	—	—	—	—
Purulia	47	10	11.1	1	1	3	3.3	..
Ranchi	130	13	5.2	3	7	..	2
TOTAL	1,384	573	21.5	1	61	7	10	9	216	8.1	19
Bombay													
Ahmedabad	889	943	55.2	20	16	64	..	347	20.3	113
Ahmednagar	88	126	74.5	1	..	4	..	30	17.7	8
Amalner	50	28	29.1	6	..	3	..	14	14.6	1
Bagalkot	36	38	54.9	2	..	3	..	12	17.3	4
Baroda	242	238	51.1	13	5	8	2	65	14.0	19
Barsi	46	49	55.4	3	12	13.6	1
Belgaum	110	63	29.8	3	1	6	..	36	17.0	5
Bhusawal	62	44	36.9	5	..	1	..	11	9.2	..
Bijapur	75	77	53.4	4	2	3	..	15	10.4	2
Broach	67	77	59.7	4	..	3	..	15	11.6	2
Cambay	41	63	79.9	1	20	25.4	2
Chalisgaon	35	18	26.7	5	..	1	..	9	13.4	3
Dharwar	76	43	29.4	10	6.8	..
Dhulia	89	75	43.8	6	1	14	8.2	2
Gadag-Betageri	71	55	40.3	7	2	6	1	32	23.4	6
Godra	40	47	61.1	4	..	1	..	7	9.1	3
Greater Bombay	3,449	1,677	25.3	37	135	4	637	9.6	188
Hubli	148	66	23.2	1	..	12	4.2	1
Jalgaon	79	35	23.0	7	1	1	..	16	10.5	3
Kalyan	73	28	19.9	2	2	1	..	11	7.8	..
Kolhapur	159	135	44.2	2	4	II	..	39	12.8	6
Malegaon	63	48	39.6	5	2	1	..	8	6.6	1
Miraj	44	31	36.6	1	11	13.0	1
Nadod	71	96	70.3	11	..	1	..	20	14.6	6
Nandurbar	35	19	28.2	1	..	2	..	8	11.9	2
Nasik	119	121	52.9	1	..	7	..	30	13.1	16
Navasari	50	42	43.7	6	15	15.6	4
Pandharpur	44	36	42.5	3	7	8	..	32	37.8	14
Patan	47	54	59.7	2	2	1	..	10	11.1	4
Poona	607	385	33.0	2	3	25	..	115	9.8	29
Sangli†	40	41	53.3	3	..	2	..	17	22.1	1
Satara	299	339	59.0	15	12	45	..	151	26.3	29
Surat	250	194	40.4	9	2	II	..	91	18.9	31
Thana	61	35	29.8	..	1	..	2	1	19	16.2	4
TOTAL	7,655	5,366	36.5	..	1	..	156	100	354	10	1,891	12.8	511

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Delhi State													
Delhi City . . .	1,124	756	34.8	99	15	36	3	244	11.3	81
New Delhi . . .	374	236	32.8	5	8	2	..	70	9.7	15
N.A.C. Civil Station, Delhi . . .	117	122	54.2	2	4	5	1	29	12.9	12
Delhi Cantt. . .	50	25	26.0	1	4	4.2	..
Delhi-Shahdara . . .	53	65	63.8	4	8	7.8	3
TOTAL . . .	1,718	1,204	36.4	111	27	43	4	355	10.7	111
Madhya Pradesh													
“N.R.”													
Madras													
Ambur . . .	44	34	40.2	1	2	1	..	12	14.2	1
Aruppukottai . . .	56	42	39.0	3	4	3	..	19	17.6	5
Bodinayakanpur . . .	40	31	40.3	1	..	3	3.9	..
Cannanore . . .	47	31	34.9	1	3	..	17	19.1	1
Chidambaram . . .	39	32	42.7	1	1	..	14	18.7	3
Coimbatore . . .	234	267	59.3	1	13	11	3	104	23.1	24
Cuddalore . . .	74	59	41.5	2	3	7	1	25	17.6	5
Dindigul . . .	90	62	35.5	2	5	3	..	19	11.0	3
Erode . . .	67	58	45.0	2	4	1	21	16.3	6
Gobichettipalayam . . .	38	14	19.1	1	5	6.8	..
Guddiyattam . . .	53	54	53.0	1	..	4	..	14	13.7	2
Kancheepuram . . .	90	94	54.3	4	14	2	44	25.4	9
Karalkudi . . .	44	17	20.0	2	..	1	..	9	10.6	..
Karur . . .	50	21	21.8	1	1	7	7.3	1
Kozhikode . . .	176	112	33.1	11	3	6	..	89	26.3	25
Kumbakonam . . .	105	64	31.7	1	2	3	..	27	13.3	6
Madras . . .	1,703	1,526	46.6	..	3	..	48	131	163	4	669	20.4	192
Mangalore . . .	136	99	37.9	2	1	2	..	26	9.9	2
Mathurai . . .	427	327	39.8	17	47	4	159	19.4	45
Mayuram . . .	49	43	45.6	1	1	1	15	15.9	2
Malapalyam . . .	41	16	20.8	2	5	1	..	12	15.6	4
Nagapattinam . . .	60	42	35.8	1	1	1	2	20	17.0	3
Ootacamund . . .	48	48	52.0	3	..	10	10.8	3
Palni . . .	40	48	62.4	2	5	..	12	15.6	2
Palayamkottai . . .	45	54	62.4	3	3	3	2	21	24.3	5
Palghat . . .	77	58	39.2	2	4	..	25	16.9	4
Periyakulam . . .	34	28	42.8	1	2	2	..	7	10.7	..
Pollachi . . .	51	40	40.8	3	2	..	21	21.4	10
Pudukkottai . . .	50	37	38.5	2	1	1	..	13	13.5	2
Rajapalayam . . .	69	41	30.9	2	4	2	..	14	10.6	..
Salem† . . .	42	32	39.6	1	4	5.0	2
Srirangam . . .	42	32	39.6
Srivilliputtur† . . .	118	100	44.0	..	1	..	3	1	5	1	40	17.6	3
Tanjore . . .	42	37	45.8	1	3	1	15	18.6	..
Tellicherry . . .	45	27	31.2	1	3	1	16	18.5	2
Tiruvannamalai . . .	80	61	39.7	4	4	..	26	16.9	6
Tirunelveli . . .	63	43	35.5	3	4	..	13	10.7	2
Tiruppur . . .	251	109	22.6	1	1	11	..	54	11.1	11
Tuticorin . . .	111	78	36.5	..	2	..	8	9	17	1	72	33.7	23
Vaniyambadi . . .	43	19	23.0	3	4	2	..	14	16.9	4
Vellore . . .	124	145	60.8	3	..	11	..	46	19.3	9
Villupuram . . .	39	42	56.0	..	3	..	1	3	3	..	16	21.3	4
Virudunagar . . .	53	40	39.2	1	6	5.9	1
TOTAL . . .	5,088	4,132	42.2	..	9	..	105	243	362	25	1,775	18.1	431

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—contd.

Town	Mid-year Popn.-Est. (000)	Deaths from:—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
Orissa													
Berhampur	72	30	21.7	..	—	..	3	4	17	12.3	3
Cuttack	117	131	58.4	11	12	8	..	64	28.5	6
Puri	53	34	33.5	8	4	2	..	30	29.5	10
TOTAL	242	195	41.9	22	20	10	..	111	23.9	19
Pondicherry													
Pondicherry	68	75	57.4	..	2	..	6	5	3	1	46	35.2	25
Punjab (I)													
Ambala	65	78	62.4	1	4	3	..	18	14.4	4
Amritsar	343	281	42.7	2	10	40	..	99	15.0	35
Batala	62	34	28.5	6	6	2	..	17	14.1	6
Bhiwani	57	66	60.4	8	4	3	..	24	22.0	11
Ferozepore	45	28	32.3	2	4	1	..	19	22.0	4
Hissar	39	43	57.3	8	1	1	..	10	13.4	3
Hoshiarpur	51	34	34.8	10	10.3	4
Jullundur	200	203	53.1	18	8	7	..	42	11.0	10
Karnal	72	68	49.4	4	..	2	..	13	9.4	..
Ludhiana	176	174	51.7	22	1	39	11.6	11
Moga	41	43	54.4	2	6	7.5	3
Panipat	64	39	31.7	1	..	1	..	8	6.5	2
Pathankot	34	17	26.0	2	..	1	..	5	7.7	1
Rewari	36	31	45.0	3	1	1	..	6	8.7	2
Rohtak	105	82	40.7	9	1	1	..	17	8.5	5
Simla	50	51	53.3	1	7	7.3	4
Sonipat	34	32	49.1	8	8	12.3	1
TOTAL	1,474	1,304	46.0	97	39	63	1	348	12.3	109
Uttar Pradesh													
Agra	375	300	41.6	2	7	43	..	92	12.8	33
Allahabad	349	201	30.0	2	32	1	60	9.0	17
Amroha	61	56	48.0	1	1	6	..	14	12.0	4
Bahraich	47	34	37.6	5	..	2	..	11	12.2	3
Varanasi	383	308	42.0	49	9	16	..	167	22.8	43
Ballia	35	15	22.4	2	1	4	6.0	1
Banda	32	18	29.1	1	..	2	..	9	14.7	4
Bareilly	203	83	21.4	8	4	5	1	24	6.2	10
Bijnor	32	15	24.3	4	1	2	..	9	13.6	1
Budaun	54	40	38.7	5	..	3	..	15	14.5	4
Basti†
Bulandshahr†
Chandausi	41	60	76.1	4	2	..	9	11.4	4
Dehra Dun	146	60	21.5	3	2	2	..	18	6.4	3
Etawah†
Faizabad-Ayodhya	88	33	19.6	3	1	2	..	9	5.3	5
Farrukhabad-Fatehgarh	82	76	48.4	9	3	2	..	23	14.7	6
Ferozabad	79	46	30.4	9	2	17	11.2	6
Ghazibabad†	36	23	33.4	—	2	4	13	18.9	1
Ghazipur	140	75	28.0	4	3	3	..	17	6.3	5
Gonda	35	10	14.9	3	4.5	1
Hapur	49	52	53.5	12	6	3	..	27	30.9	11
Hardwar	64	50	40.8	9	3	2	..	25	20.4	9

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Hathras	62	61	51.4	15	4	2	1	26	21.9	8
Jaunpur	56	26	24.3	2	..	3	..	9	8.4	2
Jhansi	116	125	56.3	19	2	39	17.6	15
Kanpur	734	517	36.8	139	23	45	6	369	26.3	84
Kanganj	34	10	15.4	2	3	4.6	2
Khurja	41	30	38.2	4	3	1	..	12	15.3	3
Koil-Aligarh	150	68	23.7	7	10	2	..	34	11.8	11
Lucknow	494	406	43.0	1	22	4	11	1	111	11.7	28
Mathura	110	124	58.9	17	4	3	..	32	15.2	10
Mau-Nath Bhanjan†													
Meerut	185	148	41.8	9	1	6	1	27	7.6	9
Mirzapur Vindhya Chal	97	68	36.6	8	2	2	..	21	11.3	8
Moradabad	164	108	34.4	9	4	4	1	35	11.1	11
Muzaffarnagar	74	41	29.0	8	1	1	..	19	13.4	3
Pilibhit	45	37	43.0	11	2	3	..	19	22.1	7
Rampur†													
Saharanpur	162	127	41.0	32	2	5	..	57	18.4	21
Sambhal	65	67	53.6	9	6	2	..	22	17.4	6
Shahjahanpur	99	59	24.2	16	2	1	..	22	9.0	5
Sitapur	49	32	34.0	1	..	1	..	4	4.5	1
TOTAL	5,068	3,609	37.0	458	122	220	13	1,429	14.7	407

West Bengal

“N.R.”

STATES—(Part B)

Hyderabad

Aurangabad	73	8	5.7	6	1	7	5.0	..
Bidar†													
Gulberga	90	68	39.3	5	..	1	1	10	5.8	..
Hyderabad City	1057	403	19.8	..	3	..	31	4	7	..	104	5.1	10
Jalna†													
Kothagudiam†													
Latur	41	1	1.2	2	2.5	2
Nanded	80	29	18.9	2	9	5.9	..
Nizambad	67	13	10.1	3	..	3	..	6	4.7	..
Parbhani	40	6	7.8	3	..	4	..	8	10.4	1
Raichur†													
Secundrabad City	162	134	43.0	3	5	8	..	53	17.0	11
Warangal	155	28	9.4	7	13	4.4	..
TOTAL	1,765	690	20.3	..	3	..	54	9	29	2	212	6.2	24

Jammu & Kashmir

“N.R.”

Madhya Bharat

“N.R.”

Mysore

Chitaldrug	31	10	16.8	3	5.0	..
Bhadrapur†													
Bangalore	977	495	26.3	7	66	112	..	323	17.2	..
Mysore	294	162	28.7	2	3	0.5	..
Kolar Gold Field	173	45	13.5	2	2	1	1	10	3.0	..
Billary	78	32	21.3	2	13	8.7	..
Davangeret†													
Hospet	45	15	17.3	21	..	1	..	7	8.1	..
Shimoga	57	43	39.2	3	1	29	26.5	..
TOTAL	1,655	802	25.2	34	71	115	1	388	12.2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; “N. R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—contd.

Deaths from :-

Towns	Mid-year Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
PEPSU														
Patiala City	...	III	52	24.4	17	2	4	40	18.7	14	
Malerkotla	34	41	62.7	11	..	1	..	15	22.9	..	
Bhatinda	39	26	34.7	1	2	2.7	2	
TOTAL	184	119	33.6	29	2	5	..	57	16.1	16	
Rajasthan														
Travancore-Cochin														
Alleppey	..	148	176	61.8	5	4	9	53	18.6	10	
Changanacherry	..	41	15	19.0	1	..	1	4	5.1	..	
Ernakulam	..	70	85	63.1	2	2	4	..	17	12.6	3
Kottayam	..	50	47	48.9	1	..	6	6.2	..
Malanchery	..	85	63	38.5	2	..	6	..	17	10.4	2
Nagercoil	..	94	32	17.7	5	1	1	..	14	7.7	4
Quilon	..	75	80	55.5	1	10	6.9	..
Trichur	..	76	65	44.5	3	12	8.2	..
Trivandrum City	..	218	150	35.8	4	..	2	..	13	3.1	1
TOTAL	..	857	713	43.2	22	8	24	..	146	8.9	20
Saurashtra														
Bhavnagar	..	157	110	36.4	6	5	3	..	40	13.2	8
Dhoraji	..	47	30	33.2	5	..	1	..	10	11.1	..
Gondal	..	41	18	22.8	4	1	12	15.2	..
Jamnagar	..	122	35	14.9	10	4	7	..	26	11.1	8
Junagadh	..	65	48	34.4	14	3	1	..	28	22.4	7
Morvi	..	43	21	25.3	2	2	1	..	6	7.3	2
Porbandar	..	64	26	21.1	13	3	1	..	25	20.3	7
Rajkot	..	167	75	23.3	12	8	4	..	48	14.9	24
Surendranagar†
Veraval	..	46	9	10.2	4	..	1	..	5	5.7	..
TOTAL	..	752	372	25.7	70	26	19	..	200	13.8	56
ARREAR RETURNS														
West Bengal														
<i>For w/e 8-9-56</i>														
Asansol†	..	33	4	6.2	3	4.6	1
Baidyabati	..	66	4	3.1	2	1.6	..
Bally
Bankura	..	50	15	15.7	1	..	4	4.2	..
Bansberia†
Baranagar	..	90	39	22.6	2	1	3	..	20	11.5	6
Basirhat	..	39	7	9.3	3	4.0	..
Berhampur	..	64	48	39.0	2	17	13.8	4
Bhadreswar	..	34	7	10.6	1	2	3.1	..
Bhatpara	..	143	39	14.2	1	13	2	5	1	45	16.5	17
Budge Budge	..	32	15	24.3	1	..	4	6.5	..
Burdwan	..	82	18	11.4	..	1	..	1	1	2	..	11	7.0	..
Calcutta	..	2,984	1,421	24.9	6	5	..	37	34	164	2	674	11.8	192
Champdani	..	41	20	25.5	1	..	4	5.1	..
Cooch Behar

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th September, 1956—*contd.*

Deaths from—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS—<i>contd.</i>													
<i>For w/e 8-9-56—<i>contd.</i></i>													
West Bengal—<i>contd.</i>													
Darjeeling†													
English Bazar	36	48	69.5	2	1	..	6	8.6	..
Garden Reach	124	16	6.6	..	1	..	9	14	5.9	2
Haldia	41	1	1.2	2	2.5	..
Hooghly-Chinsurah	60	79	68.7	..	1	..	2	2	1	..	9	7.8	4
Howrah	477	191	20.9	..	4	..	8	14	31	..	114	12.5	44
Jalpaiguri	49	21	22.4	1	1	5	5.3	..
Kamarhati†													
Kanchrapara	74	10	7.1	1	..	1	..	4	2.8	..
Krishnagar	56	3	2.8	2	1.9	..
Midnapore	45	51	59.2	1	2	1	1	..	16	18.4	..
Nabadwip	70	44	32.7	2	10	..	1	1	21	15.7	4
Naihati	62	9	7.6	1	1	5	4.2	1
North-Barrackpore	36	8	11.6	2	2	2.9	..
Panihati	65	4	3.2	1	2	..	10	8.0	4
Santipur	49	21	22.4	5	5.3	1
Serampore	83	44	27.7	4	5	2	1	24	15.1	8
Siliguri	44	19	22.6	1	..	4	4.8	..
South Dum Dum	83	2	1.3
South Suburban	124	53	22.3	1	2	3	..	11	4.6	6
Titagarh	78	25	16.8	5	19	..	3	..	28	18.8	7
TOTAL	5,314	2,286	22.4	15	12	..	113	68	225	6	1,071	10.5	301
Madhya Bharat													
<i>For w/e 18-8-56</i>													
Greater Gwalior	273	194	36.9	2	1	16	3.0	5
Indore	368	200	28.3	16	3	4	..	78	11.0	31
Ujjain	156	45	15.0	10	33	11.0	14
Mandsaur
Ratlam†	41	2	2.5	1	..	1	..	2	2.5	1
TOTAL	838	441	27.4	29	4	5	1	129	8.0	51
<i>For w/e 11-8-56</i>													
Greater Gwalior	273	130	24.8	4	1	2	..	23	4.4	3
Indore	368	102	14.4	14	4	8	1	90	12.7	29
Punjab													
<i>For w/e 11-8-56</i>													
Karnal	72	42	34.1	4	3	3	..	16	12.8	6
Panipat	64	32	26.0	4	9	6.3	..
Travancore Cochin													
<i>For w/e 8-9-56</i>													
Mattancherry	41	15	19.0	1	3	3.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 15th Sep. 1956, relate to 217 towns with an estimated population of 29,948 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 20,601 and 7,890 representing birth and death rates of 35.8 and 13.7 per thousand of population respectively.

(a) *States (Part A and C):*—The data here relate to 180 towns with an estimated population of 24,735 thousands. Information about Madhya Pradesh and West Bengal could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 71% of the total number of towns representing 74% of the total population is covered. The number

of births and deaths recorded in these towns were 17,907 and 6,787 representing birth rates and death rates of 37.6 and 14.3 per thousand of population respectively. The table at the end gives the position by States. No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B):*—The data here relate to 37 towns with an estimated population of 5,213 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 57% of the total number of towns representing 64% of the total population is covered. The number of births and deaths recorded in these towns were 2,696 and 1,003 representing birth and death rates of 26.9 and 10.0 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 15-9-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	15.3	8.1	†	†	43.3	15.4
Andhra	44.6	19.0	42.2	14.6	†	†
Bihar	21.5	8.1	25.9	7.3	17.2	7.2
Bombay	36.5	12.8	39.8	14.6	38.2	17.8
Delhi	36.4	10.7	45.4	11.4	45.9	11.9
Madras	42.2	18.1	45.3	17.0	†	†
Orissa	41.9	23.9	49.1	19.3	42.7	19.3
Punjab (I)	46.0	12.3	48.9	12.0	43.5	12.1
Uttar Pradesh	37.0	14.7	50.3	16.4	43.8	19.9
India*	37.6	14.3	40.8	14.1	38.9	17.5

* 7 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA); }
The 8th October, 1956 }
for Registrar General, India.

K. MITRA,

for Registrar General, India.

